

**Copyright © HiSilicon Technologies Co., Ltd. 2018. All rights reserved.**

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of HiSilicon Technologies Co., Ltd.

### **Trademarks and Permissions**



**HISILICON**, and other HiSilicon icons are trademarks of HiSilicon Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

### **Notice**

The purchased products, services and features are stipulated by the contract made between HiSilicon and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

## **HiSilicon Technologies Co., Ltd.**

Address: Huawei Industrial Base  
Bantian, Longgang  
Shenzhen 518129  
People's Republic of China

Website: <http://www.hisilicon.com>

Email: [support@hisilicon.com](mailto:support@hisilicon.com)



# About This Document

---

## Related Versions

The following table lists the product versions related to this document.

Product Name	Version
Hi3559A	V100
Hi3559C	V100

## Intended Audience

This document is intended for:

- Technical support personnel
- Software development engineers

## Change History

Changes between document issues are cumulative. Therefore, the latest document issue contains all changes made in previous issues.

### Issue 00B01 (2018-01-30)

This issue is the first draft release.

---

# Contents

---

<b>About This Document.....</b>	<b>i</b>
<b>1 Testing the USB 2.0 Host .....</b>	<b>1</b>
1.1 Test Tool.....	1
1.2 Test Networking .....	1
1.3 Test Register Configuration.....	2
<b>2 Testing the USB 3.0 Host .....</b>	<b>3</b>
2.1 Test Tool.....	3
2.2 Test Networking .....	3
2.3 Test Register Configuration.....	4
<b>3 Testing the PCIe .....</b>	<b>5</b>
3.1 Test Tool.....	5
3.2 Test Networking .....	5
3.3 Test Register Configuration.....	6
<b>4 Testing TX Signals from the 100 Mbit/s Network Port .....</b>	<b>7</b>
4.1 Test Tool.....	7
4.2 Test Networking .....	7
4.3 Test Register Configuration (RTL8211FI) .....	8
<b>5 Testing TX Signals from the 1000 Mbit/s Network Port .....</b>	<b>10</b>
5.1 Test Tool.....	10
5.2 Picture of the Fixture for Testing the Network Port .....	10
5.3 Test Register Configuration (RTL8211FI) .....	11

---

# Figures

---

<b>Figure 1-1</b> Test networking.....	1
<b>Figure 2-1</b> Test networking.....	3
<b>Figure 3-1</b> Test networking.....	6
<b>Figure 4-1</b> Test networking.....	7
<b>Figure 4-2</b> Register configuration for the 100M-TX test of the network port.....	8
<b>Figure 5-1</b> Picture of the fixture for testing the network port.....	10
<b>Figure 5-2</b> Register configuration for the 1000M-TX test of the network port.....	11

以上内容仅为本文档的试下载部分，为可阅读页数的一半内容。如要下载或阅读全文，请访问：<https://d.book118.com/808106024110006106>